



This PDF is presented by Super Warehouse. All copyrights and trademarks are the property of their respective holders.

We are here to serve you:

For further information or if you would like to purchase this product, please call us during business hours Monday-Friday from 6am-6pm PST; or you can purchase 24/7 on our site.

Contact Info:

Visit us on the web: <http://www.superwarehouse.com>

Email an expert sales associate: sales@superwarehouse.com

Call Us Toll Free: 1-800-814-5410 Intl: 1-619-216-3465

Press Ext. 1 for Sales

About Super Warehouse:

- Over 50,000 brand name computer hardware and software products
- Discount prices
- Friendly and knowledgeable staff
- Five star customer service
- Free shipping on select orders
- Proudly serve business, education, and government clients (we ship to APO/AP and AE addresses)
- 16 warehouses throughout the country
- 99% of orders shipped the same day
- Fedex overnight and even same day shipping available
- In business since 1997
- CNET certified merchant
- Clients we have served include virtually all fortune 500 companies, the US military, thousands of schools, colleges and universities, and municipal, state, and federal government organizations



- 1280 x 1024 resolution
- 160°/140° horizontal/vertical viewing angles
- 500:1 contrast ratio
- Fast 12 ms response time
- Ultra-thin bezel design
- Digital/analog dual input
- Flexible dual-hinge design
- MagicBright™ technology
- Compatible with PC/Windows, Macintosh, Sun Microsystems

The 172X is ultra-sleek and packed with some of our most sophisticated LCD technologies ever. A fast 12 ms response time significantly reduces ghosting and jagged pixel effects for superior DVD viewing, streaming internet video, high-performance gaming and more. And that's in addition to its 500:1 contrast ratio, exclusive MagicBright™ technology and wide viewing angle. All in a stylish monitor with an ultra-thin bezel and flexible dual-hinge design.

172X

17" Digital/Analog LCD Monitor



172X



17" Digital/Analog LCD Monitor

Specifications	
Panel Type	a-si TFT/TN
Viewable Size	17"
Pixel Pitch	0.264 mm
Brightness (Typical)	270 cd/m ²
Contrast Ratio	500:1
Viewing Angle (Horizontal/Vertical)	160°/140°
Aspect Ratio	4:3
Interface	Analog/Digital
Response Time	12 ms
Native Resolution	1280 x 1024
Maximum Colors	16.2 Million
Input Video Signal	Analog RGB, DVI Digital Link
Sync Type	Separate H/V, Composite H/V
Input Connectors	15-Pin D-Sub, DVI-D
Max Power Consumption	40 Watts
VESA® Wall Mount	VESA 75mm
Emission Standard	TCO '99
Bezel Color	Silver
Dimensions (W x H x D)	14.2" x 14.3" x 7.6"
Weight	8.3 Lbs.
Special Features	Ultra-Narrow Bezel And Slim Design (0.4" Bezel, 0.7" Depth), MagicBright™, Dual-Hinge Stand, Fast Response Time (12 ms)
Warranty (P/L/B)	3/3/3
Compatibility	PC/Windows, Macintosh, Sun Microsystems

Product Information
1-866-542-7214

Product Support
1-800-SAMSUNG

www.samsungusa.com/monitor

©2003 Samsung Electronics America, Inc. Specifications and design are subject to change without notice. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies.